



HEBEI SHENG MAI CONSTRUCTION MATERIAL TECHNOLOGY CO.,LTD

Website:www.wiremeshfences.net Email:sales03@fencewiremesh.com Tel:+86-18032888759 Fax:+86-311-85030301

## QUOTATION SHEET

Contact person: Sarah Zhou

### Products Detail

#### Expanded Metal Mesh Fence Machine

**Expanded Metal Mesh Fence Machine** produced by our company is high technology, and high practicability, It can produce steel plate mesh, aluminum plate mesh, titanium plate mesh and some other material mesh.


The machines are used for punching all kinds of expand plate mesh in construction, common hardware, window and door, machine protecting etc.

Feeding mechanism passes the chain link by the main engine directly, the movement accurate is reliable. The times of feed mechanism punching shear start from 0, it can shear at will scope.

#### Specification:

Model	Material thickness	Material max width	Mesh size of LW	Distance of feed	Stroke per min	Motor	Net weight	Overall dimensions
JQ25-6.3A	Max1.0mm	500mm	Max20mm	0-1.5mm	190times/min	2.2KW	1.0T	1090x710x1450mm
JQ25-6.3B	Max0.5mm	500mm	Max20mm	0-1.6mm	200-400times/min	2.2KW	0.86T	1050x710x1450mm
JQ25-16	Max 1.0mm	1000mm	Max 25mm	0 -1.2mm	150times/min	3.0kw	2.0T	1800x1320x1550mm
JQ-25-16A	Max 1.0mm	1000mm	Max 25mm	0 -1.2mm	300times/min	5.5kw	2.05T	1470x850x 1630mm
JQ25-25	Max 1.5mm	1250mm	Max 30mm	0 -1.2mm	150times/min	4kw	3.0T	1940x1600x2010MM
JQ25-40	Max 2.0mm	1500mm	Max 80mm	0-3.2mm	120/min	11kw	6.0T	2870*990*2140
JQ25-63	Max 3.0mm	2000mm	Max 150mm	0 -4mm	45times/min	15kw	10T	3600x2500x3000
JQ25-100	Max6.0mm	2000mm	Max200mm	0-4mm	60times/min	22kw	12T	3600x2500x3000mm
JQ25-160	Max8.0mm	2000mm	Max200mm	0-7mm	45times/min	30KW	22T	3280*3620*2850

JQ25-100 Max6.0mm 2000mm Max200mm 0-4mm 60times/min 22kw 12T 3600\*2500\*3000mm




cutting machine



De-coiler





Coil Feeder



Flattening Machine



Leveller Machine