



HEBEI SHENG MAI CONSTRUCTION MATERIAL TECHNOLOGY CO.,LTD

Website:www.wiremeshfences.net Email:sales03@fencewiremesh.com Tel:+86-18032888759 Fax:+86-311-85030301

QUOTATION SHEET

Contact person: Sarah Zhou

Temporary Fence-Australia/Europe

Meet AS4687-2007 standard

Temporary fence is also known as Temporary fencing, temporary fence panels, portable fence, Temp fence, temp fencing and mobile fence.

Materials: High quality mild steel wire

Corrosion Form: electric galvanized, hot-dipped galvanized

Application:

1. Temporary fencing to secure construction sites and private property.
2. Temporary fencing of residential housing sites.
- 3 Temporary fencing for major public. Events, sports, concerts, festivals, gatherings etc.

Features: It can quickly and easily be installed, without the need to disturb the surface area by digging holes or laying foundations.

We can manufacture the welded fence panels as well as chain link ones.

Different specifications are available according to customers' special inquiry or detailed drawings.

Main markets: Australia, Canada, America, European countries and Asia countries.

The most popular specification

Panel Size:	2400mm(L) x 2100mm(H)
Frame:	32mm O.D.
Infill Mesh:	4mm horizontal, 4mm vertical 150mm x 60mm spacings
Weight:	22kgs
Finish:	Hot Dipped Galvanized to Australian Standard - 42 Microns

Recommended Specification

Specification of Temporary fence	Spotted by 3-5mm diameter quality mild steel wire
Opening (mm)	75x75 75x100 60x150 50x50 60x60 etc
LxW (mm)	2100x2400 1800x2400 2100x2900 2100x3300 etc
Frame (mm)	25,32,38,40,42,48



